STA305/1004 Sept. 5, 2019

- Course syllabus <u>https://scidesign.github.io/syllabus.html</u>
- Course schedule <u>https://scidesign.github.io/schedule_fall2019.html</u>
- Pre-requisite: STA302
- Statistical computing: R (<u>https://utoronto.syzygy.ca</u>)

COURSE WEBSITES

- Course website: <u>https://scidesign.github.io/index.html</u>
- Piazza discussion forum: <u>https://piazza.com/utoronto.ca/fall2019/sta305h1004/home</u>
- Class notes: <u>https://scidesign.github.io/designbook/</u>

WHY DESIGN?

Why should scientific studies be designed?

WHY DESIGN?

Why should scientific studies be designed?

- Avoid bias
- Variance reduction
- System optimization



- Abraham Wald born in 1902 in Austria.
- Emigrated to the U.S. and eventually became a professor at Columbia.



- During World War II he spent much of his time in the Statistical Research Group (SRG). A classified program that assembled the best American statisticians to the war effort.
- The SRG was in an apartment building in NYC a few blocks from Columbia U.



- The SRG was a very influential group and the military frequently listened to their advice.
- Wald at the time was still an "enemy alien", he was not technically allowed to see the reports he was producing.

Question: You don't want planes to get shot down by enemy fighters, so you amour them. But armour makes planes heavier, and are less maneuverable and use more fuel. Armouring planes too much is a problem; armouring the planes too little is a problem.

Somewhere in between there's an optimum.



The military supplied the SRG with some data



Planes were covered in bullet holes, but the holes weren't uniformly distributed across the aircraft.



Data from American planes that came back from engagements over Europe.

What parts of the plane has the greatest need for armour?

Section of plane	Bullet holes per square foot
Engine	1.11
Fuselage	1.73
Fuel system	1.55
Rest of the plane	1.8

The officers saw an opportunity for efficiency.

Get the same protection with less armour if you concentrate on places with the greatest need.

They asked Wald how much more armour belonged on those parts of the plane.

Section of plane	Bullet holes per square foot
Engine	1.11
Fuselage	1.73
Fuel system	1.55
Rest of the plane	1.8

BIG DATA

"... big data may be as important to business - and society as the Internet has become. Why? More data lead to more accurate analyses."

(SAS, http://www.sas.com/en_id/insights/big-data/what-is-big-data.html)

BIG DATA

In 2015 the population of Canada is 35.8 Million people.

To estimate the mean number of hours spent on the Internet is it better to:

(a) take a simple random sample of 100 people (and ask about hours spent on internet) and estimate the mean number of hours spent on the Internet; or

(b) use a large database (e.g., millions of people) that contain hours spent on the Internet for each person?

BIG DATA

- An equivalent precision of a random sample of 100 people a database would have to contain over 96% of the population 34.3 Million people.
- This illustrates the power of random sampling and the danger of putting faith in "Big Data" simply because it's big.

- Data is usually very expensive.
- In a clinical trial the average per patient cost is between \$5500-\$7600.
- Statistics can help unfold what's going on in the lab or production facility.

Most "big data" is not obtained from instruments designed to produce valid and reliable data amenable for scientific analysis.

Google Flu (Lazer et al., Science 14 March 2014)



The data collection method has an impact on the quality of conclusions drawn from the data.

Connected to Scientific Method



- When you repeat an experiment you won't get the same response on two different occasions.
- Observation = true response + error
- The observations we get by repeating an experiment differ.

- Good experimental design helps protect real effects from being obscured by experimental error.
- Designed experiments can increase signal-to-noise ratio.
- Statistical analysis provides measures of precision of estimated quantities under study.

- What is the optimal measurement strategy?
- Suppose that we want to measure mass of two apples A and B using an old-fashioned two-pan balance scale.
- Should the apples be weighed one at a time?



- (Hotelling, 1944) Let σ^2 be the variance of individual weighings of two objects.

This apple has weight w_1

This apple has weight w_2





• Weigh two objects together in one pan to obtain the sum of the two weights.

• Weigh two objects in opposite pans to obtain the difference between the two weights.



If the objects were weighed one at a time then how many weighings would be required to achieve the same precision (standard error) as the preceding design?

Per capita consumption of mozzarella cheese correlates with Civil engineering doctorates awarded



tylervigen.com



- A major issue in experimentation is confusion of correlation with causation.
- $R^2 = 0.919$ and p-value of slope is 1.22×10^{-5} .
- Does increase in cheese mozzarella cheese consumption increase the number of engineering doctorates awarded?